



Jackson Manufacturing Ltd.

Stainless Steel Pipe & Tube Support Systems

WORLD LEADERS IN STAINLESS STEEL
PIPE AND TUBE SUPPORT SYSTEMS





CONTENTS

SECTION 1

Bossed 304L and 316L Stainless Steel Pipe Support Bracket
(Munzing Ring Type Bracket)

Pages 1 – 5



SECTION 2

Bossed 304L and 316L Stainless Steel Pipe Support Bracket
(Munzing Ring Type Bracket) EPDM Rubber Lined

Pages 6 – 9



SECTION 3

Fast Fixing 304L and 316L Stainless Steel Pipe Support Bracket
Wood Fixing

Pages 10 – 14



SECTION 4

Fast Fixing 304L and 316L Stainless Steel Pipe Support Bracket
EPDM Rubber Lined
Wood Fixing

Pages 15 – 19



SECTION 5

304L and 316L Stainless Steel Two Piece Saddle Bracket

Pages 20 - 24



SECTION 6

304L and 316L Stainless Steel Two Piece Saddle Bracket
EPDM Rubber Lined

Page 25 – 28



SECTION 7

ACCESSORIES


Pages 29-38

SECTION 7 Accessories Continued

Stainless Steel

Pipe Support Backing Base Plates M6 – M8

Page 30



Stainless Steel

Pipe Support Backing Base Plates M10

Page 30



Pipe Support Backing Base Plates with M10 Bossed Threaded Insert M10 Heavy Duty

Page 30



Stainless Steel

Pipe Support Backing Base Plates M12 Heavy Duty

Page 30



Pipe Support Fixing Hex Washer Face Self Drillers Wood

Page 31



Pipe Support Fixing Hex Washer Face Self Drillers Metal BI-Metal

Page 31



Pipe Support Fixing Hex Washer Face Self Drillers Metal Hardtec

Page 31



Pipe Support Fixing Hex Washers Face Nut Setter

Page 31



Pipe Support Stainless Steel Fixing Mushroom Head Spike Masonry

Page 32



Pipe Support Stainless Steel Fixing Wedge Anchor Masonry

Page 32



Pipe Support Stainless Steel Fixing Hex Washer Face Masonry

Page 32




No minimum order quantity required on any product in this catalogue

Phone: 07 579 9611 Email: jacksonmanufacturing@snap.net.nz Visit us at www.jacksonmanufacturing.co.nz

SECTION 7 ACCESSORIES Continued

Pipe Support Stainless Steel Mounting Base

Page 33



Pipe Support Stainless Steel Free Standing Fixed Mounting Base

Page 33



Pipe Support Mounting Base for Water Proof Membrane

Page 33



Pipe Support Stainless Steel Threaded Rod

Page 34



Pipe Support Stainless Steel Threaded Rod Coupling

Page 34



Pipe Support Stainless Steel Threaded Stud

Page 35



Pipe Support Stainless Steel Threaded Reducer

Page 35



Pipe Support Stainless Steel Hanger Threaded Wood Screw

Page 36



Pipe Support Stainless Steel Hex Nuts

Page 36



SECTION 7 ACCESSORIES Continued

Pipe Support Stainless Steel Nyloc Nuts

Page 36



Pipe Support Stainless Steel Spring Washers

Page 37



Pipe Support Stainless Steel Round Flat Washers

Page 37



Pipe Support Stainless Steel Hex Set Screws

Page 38



Pipe Support Stainless Steel Pan Head Pozi-Machine Screw

Page 38



Pipe Support Stainless Steel Sleeve Anchors

Page 39



Pipe Support Stainless Steel Drop in Anchors

Masonry


Page 39



SECTION 1

JML STANDARD LOADING (SL) BOSSED BRACKET

Maximum vertical loading = 367 kg
(NB: Maximum Vertical Loading includes a Safety Factor of 4)



The inside diameter of our **JML** Brackets matches the O/D (Outside Diameter) measurement of the Pipe and Tube Sizes to be selected from the following pages.

304 and **316**
Fasteners supplied
with every Bracket

Width 18mm
Thickness 2mm


Finish—Polished

M10 Threaded Boss



JML HIGH LOADING (HL) BOSSED BRACKET

Maximum vertical loading = 754 kg
(NB: Maximum Vertical Loading includes a Safety Factor of 4)




The inside diameter of our **JML** Brackets matches the O/D (Outside Diameter) measurement of the Pipe and Tube Sizes to be selected from the following pages.

304 and **316**
Fasteners supplied
with every
Bracket

Width from 30mm to 50mm
Thickness from 3mm to 6mm

Finish—Polished (P)

M10 Bossed Threaded
Insert
M12 Threaded Boss



Some Brackets sourced may have a Bead Blasted Finish
Please see the Finish Abbreviations listed in the following pages

Stainless Steel Accessories

JML Product Code Abbreviations

B-M10 = Threaded Boss to fit M10 Threaded Rod
B-M12 = Threaded Boss to Fit M12 Threaded Rod

JML Loading Classifications

SL = Standard Loading
HL = High Loading

O/D = Outside Diameter of chosen pipe or tube

POA = Price on Asking

WS = Wholesale

JML Industry Classifications Abbreviations

EN = European Standards (Press-Fit) Pipe Size
DWV = Drain / Waste / Vent PVC Pipe Size
NB = Nominal Bore Pipe Size
PE = Polyethylene Pipe Size
PVC = Polyvinyl Chloride Pipe Sizes
UPVC = Unplasticised Polyvinyl Chloride Pipe Size
EPDM = Ethylene Propylene Diene Monomer
Rubber Lining = Rubber

JML Product Finish

P = Polished Finish

Polishing stainless steel provides the following

- (1) Hygiene solution in the food and beverage industry
- (2) A high architectural level of finish
- (3) Increases corrosion resistance

BB = Bead Blasted Finish

This is a common finish in stainless steel and is supplied in situations where, due to the process of manufacture, a polished finish cannot be achieved

JML Loading Rating

Including Safety Factor = Load Rating includes a safety factor of 4

This Safety factor is calculated for the maximum vertical recommended loading listed in the following pages

JML PRODUCT CODE	LOADING CATEGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 12.7 B-M10	SL	M10	12.7mm	Tube Size ½"	P	304L	316L
SSSC 15.0 B-M10	SL	M10	15.0mm	EN Pipe Size	P	304L	316L
SSSC 15.88 B-M10	SL	M10	15.88mm	Tube / Dairy Tube Size 5/8"	P	304L	316L
SSSC 16.0 B-M10	SL	M10	16.0mm	Conduit Size	P	304L	316L
SSSC 17.0 B-M10	SL	M10	17.0mm	10 NB Pipe Size 3/8"	P	304L	316L
SSSC 19.5 B-M10	SL	M10	19.5mm	Dairy Tube Size / Tube Size ¾"	P	304L	316L
SSSC 20.0 B-M10	SL	M10	20.0mm	Conduit Size	P	304L	316L
SSSC 20.2 B-M10	SL	M10	20.2mm	PE Pipe Sizes	P	304L	316L
SSSC 21.2 B-M10	SL	M10	21.2mm	15 NB Pipe Size ½"	P	304L	316L
SSSC 21.4 B-M10	SL	M10	21.4mm	UPVC Pipe Size	P	304L	316L
SSSC 22.0 B-M10	SL	M10	22.0mm	EN Pipe Size	P	304L	316L
SSSC 22.2 B-M10	SL	M10	22.2mm	Dairy Tube Size	P	304L	316L
SSSC 25.0 B-M10	SL	M10	25.0mm	Conduit Size	P	304L	316L
SSSC 25.2 B-M10	SL	M10	25.2mm	PE Pipe Size	P	304L	316L
SSSC 25.4 B-M10	SL	M10	25.4mm	Tube / Dairy Tube Size 1"	P	304L	316L
SSSC 26.00 B-M10	SL	M10	26.00mm	EN Pipe Size	P	304L	316L
SSSC 26.7 B-M10	SL	M10	26.7mm	20 NB Pipe Size ¾"	P	304L	316L
SSSC 26.8 B-M10	SL	M10	26.8mm	UPVC Pipe Size	P	304L	316L
SSSC 28.0 B-M10	SL	M10	28.0mm	EN Pipe Size	P	304L	316L
SSSC 31.8 B-M10	SL	M10	31.8mm	Tube / Dairy Tube Size 1 ¼"	P	304L	316L
SSSC 32.0 B-M10	SL	M10	32.0mm	Conduit Size	P	304L	316L
SSSC 32.2 B-M10	SL	M10	32.2mm	PE Pipe Size	P	304L	316L
SSSC 33.6 B-M10	SL	M10	33.6mm	UPVC Pipe Size	P	304L	316L
SSSC 33.7 B-M10	SL	M10	33.7mm	25 NB Pipe Size 1"	P	304L	316L

No minimum order quantity required on any product in this catalogue

Stainless Steel Accessories

JML PRODUCT CODE	LOADING CATERGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 35.0 B-M10	SL	M10	35.0mm	EN Pipe Size	P	304L	316L
SSSC 36.0 B-M10	SL	M10	36.0mm	DWV 32 PVC	P	304L	316L
SSSC 38.1 B-M10	SL	M10	38.1mm	Tube / Dairy Tube Size 1 ½"	P	304L	316L
SSSC 40.0 B-M10	SL	M10	40.0mm	Conduit Size	P	304L	316L
SSSC 42.0 B-M10	SL	M10	42.0mm	EN Pipe Size	P	304L	316L
SSSC 42.2 B-M10	SL	M10	42.2mm	PE Pipe Size	P	304L	316L
SSSC 42.3 B-M10	SL	M10	42.3mm	UPVC Pipe Size	P	304L	316L
SSSC 42.4 B-M10	SL	M10	42.4mm	32 NB Pipe Size 1 ¼"	P	304L	316L
SSSC 43.0 B-M10	SL	M10	43.0mm	DWV 40 PVC Pipe Size	P	304L	316L
SSSC 44.45 B-M10	SL	M10	44.45mm	Dairy Tube Size	P	304L	316L
SSSC 48.0 B-M10	SL	M10	48.00mm	EN Pipe Size	P	304L	316L
SSSC 48.3 B-M10	SL	M10	48.3mm	40 NB Pipe Size 1 ½"	P	304L	316L
SSSC 50.0 B-M10	SL	M10	50.0mm	Conduit Size	P	304L	316L
SSSC 50.3 B-M10	SL	M10	50.3mm	PE Pipe Size	P	304L	316L
SSSC 50.8 B-M10	SL	M10	50.8mm	Tube / Dairy Tube Size 2"	P	304L	316L
SSSC 54.0 B-M10	SL	M10	54.0mm	EN Pipe Size	P	304L	316L
SSSC 56.0 B-M10	SL	M10	56.0mm	DWV 50 PVC Pipe Size	P	304L	316L
SSSC 60.3 B-M10	SL	M10	60.3mm	EN Pipe Size	P	304L	316L
SSSC 60.4 B-M10	SL	M10	60.4mm	UPVC Pipe Size	P	304L	316L
SSSC 60.5 B-M10	SL	M10	60.5mm	50 NB Pipe Size 2"	P	304L	316L
SSSC 63.0 B-M10	SL	M10	63.0mm	Conduit Size	P	304L	316L
SSSC 63.3 B-M10	SL	M10	63.3mm	PE Pipe Size	P	304L	316L
SSSC 63.5 B-M10	SL	M10	63.5mm	Tube / Dairy Tube Size 2 ½"	P	304L	316L
SSSC 69.0 B-M10	SL	M10	69.0mm	DWV 65 PVC Pipe Size	P	304L	316L
SSSC 70.0 B-M10	SL	M10	70.0mm	EN Pipe Size	P	304L	316L
SSSC 73.3 B-M10	SL	M10	73.3mm	65 NB Pipe Size 2 ½"	P	304L	316L
SSSC 75.0 B-M10	SL	M10	75.0mm	Pipe Size	P	304L	316L
SSSC 75.4 B-M10	SL	M10	75.4mm	PE / UPVC Pipe Size	P	304L	316L
SSSC 76.0 B-M10	SL	M10	76.0mm	EN Pipe Size	P	304L	316L
SSSC 76.2 B-M10	SL	M10	76.2mm	Tube / Dairy Tube Size 3"	P	304L	316L
SSSC 80.0 B-M10	SL	M10	80.0mm	Down Pipe Size	P	304L	316L
SSSC 82.0 B-M10	SL	M10	82.0mm	DWV 80 PVC Pipe Size	P	304L	316L
SSSC 84.0 B-M10	SL	M10	84.0mm	EN Pipe Size	P	304L	316L
SSSC 88.9 B-M10	SL	M10	88.9mm	80 NB Pipe Size / EN Pipe Size	P	304L	316L
SSSC 90.0 B-M10	SL	M10	90.0mm	PVC 80 Conduit Pipe Size	P	304L	316L
SSSC 90.5 B-M10	SL	M10	90.5mm	PE Pipe Size	P	304L	316L
SSSC 101.6 B-M10	SL	M10	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 101.6 B-M10	HL	M10	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P		316L
SSSC 101.6 B-M12	HL	M12	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 104.0 B-M10	SL	M10	104.0mm	EN Pipe Size	P	304L	316L
SSSC 104.0 B-M10	HL	M10	104.0mm	EN Pipe Size	P		316L

No minimum order quantity required on any product in this catalogue

Stainless Steel Accessories

JML PRODUCT CODE	LOADING CATERGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 104.0 B-M12	HL	M12	104.0mm	EN Pipe Size	P	304L	316L
SSSC 108.0 B-M10	SL	M10	108.0mm	EN Pipe Size	P	304L	316L
SSSC 108.0 B-M10	HL	M10	108.0mm	EN Pipe Size	P		316L
SSSC 108.0 B-M12	HL	M12	108.0mm	EN Pipe Size	P	304L	316L
SSSC 110.0 B-M10	SL	M10	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.0 B-M10	HL	M10	110.0mm	DWV 100 PVC Pipe Size	P		316L
SSSC 110.0 B-M12	HL	M12	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.5 B-M10	SL	M10	110.5mm	PE Pipe Size	P	304L	316L
SSSC 110.5 B-M10	HL	M10	110.5mm	PE Pipe Size	P		316L
SSSC 110.5 B-M12	HL	M12	110.5mm	PE Pipe Size	P	304L	316L
SSSC 114.0 B-M10	SL	M10	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC 114.0 B-M10	HL	M10	114.0mm	PVC 100 Conduit Pipe Size	P		316L
SSSC 114.0 B-M12	HL	M12	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC 114.5 B-M10	SL	M10	114.5mm	100 NB Pipe Size 4"	P	304L	316L
SSSC 114.5 B-M10	HL	M10	114.5mm	100 NB Pipe Size 4"	P		316L
SSSC 114.5 B-M12	HL	M12	114.5mm	100 NB Pipe Size 4"	P	304L	316L
SSSC 139.7 B-M10	HL	M10	139.7mm	EN Pipe Size	P		316L
SSSC 139.7 B-M12	HL	M12	139.7mm	EN Pipe Size	P	304L	316L
SSSC 140.0 B-M10	HL	M10	140.0mm	PVC 125 Conduit Pipe Size	P		316L
SSSC 140.0 B-M12	HL	M12	140.0mm	PVC 125 Conduit Pipe Size	P	304L	316L
SSSC 140.2 B-M10	HL	M10	140.2mm	UPVC Pipe Size	P		316L
SSSC 140.2 B-M12	HL	M12	140.2mm	UPVC Pipe Size	P	304L	316L
SSSC 140.7 B-M10	HL	M10	140.7mm	PE Pipe Size	P		316L
SSSC 140.7 B-M12	HL	M12	140.7mm	PE Pipe Size	P	304L	316L
SSSC 141.3 B-M10	HL	M10	141.3mm	NB Pipe Size	P		316L
SSSC 141.3 B-M12	HL	M12	141.3mm	NB Pipe Size	P	304L	316L
SSSC 152.4 B-M10	HL	M10	152.4mm	Tube/dairy Tube Size 6"	P		316L
SSSC 152.4 B-M12	HL	M12	152.4mm	Tube/dairy Tube Size 6"	P	304L	316L
SSSC 154.0 B-M10	HL	M10	154.0mm	EN Pipe Size	P		316L
SSSC 154.0 B-M12	HL	M12	154.0mm	EN Pipe Size	P	304L	316L
SSSC 160.0 B-M10	HL	M10	160.0mm	DWV 150 PVC Pipe Size	P		316L
SSSC 160.0 B-M12	HL	M12	160.0mm	DWV 150 PVC Pipe Size	P	304L	316L
SSSC 160.3 B-M10	HL	M10	160.3mm	UPVC Pipe Size	P		316L
SSSC 160.3 B-M12	HL	M12	160.3mm	UPVC Pipe Size	P	304L	316L
SSSC 160.8 B-M10	HL	M10	160.8mm	PE Pipe Size	P		316L
SSSC 160.8 B-M12	HL	M12	160.8mm	PE Pipe Size	P	304L	316L
SSSC 168.0 B-M10	HL	M10	168.0mm	150 NB Pipe Size	P		316L
SSSC 168.0 B-M12	HL	M12	168.0mm	150 NB Pipe Size	P	304L	316L
SSSC 168.3 B-M10	HL	M10	168.3mm	EN Pipe Size	P		316L
SSSC 168.3 B-M12	HL	M12	168.3mm	EN Pipe Size	P	304L	316L

No minimum order quantity required on any product in this catalogue

SIZES LISTED BELOW ARE CARRIED AT MINIMUM STOCK LEVELS OR MANUFACTURED TO ORDER

JML PRODUCT CODE	LOADING CATEGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 200.0 B-M10	HL	M10	200.0mm	DWV 175 PVC Pipe Size	P		316L
SSSC 200.0 B-M12	HL	M12	200.0mm	DWV 175 PVC Pipe Size	P	304L	316L
SSSC 200.9 B-M10	HL	M10	200.9mm	PE Pipe Size	P		316L
SSSC 200.9 B-M12	HL	M12	200.9mm	PE Pipe Size	P	304L	316L
SSSC 203.2 B-M10	HL	M10	203.2mm	Tube / Dairy Tube Size 8"	P		316L
SSSC 203.2 B-M12	HL	M12	203.2mm	Tube / Dairy Tube Size 8"	P	304L	316L
SSSC 204.0 B-M10	HL	M10	204.0mm	EN Pipe Size	P		316L
SSSC 204.0 B-M12	HL	M12	204.0mm	EN Pipe Size	P	304L	316L
SSSC 219.0 B-M10	HL	M10	219.0mm	NB Pipe Size 8"	BB		316L
SSSC 219.0 B-M12	HL	M12	219.0mm	NB Pipe Size 8"	BB	304L	316L
SSSC 250.0 B-M10	HL	M10	250.0mm	DWV 225 PVC Pipe Size	P		316L
SSSC 250.0 B-M12	HL	M12	250.0mm	DWV 225 PVC Pipe Size	P	304L	316L
SSSC 250.4 B-M10	HL	M10	250.4mm	UPVC Pipe Size	P		316L
SSSC 250.4 B-M12	HL	M12	250.4mm	UPVC Pipe Size	P	304L	316L
SSSC 254.0 B-M10	HL	M10	254.0mm	Tube Size 10"	BB / P		316L
SSSC 254.0 B-M12	HL	M12	254.0mm	Tube Size 10"	BB / P	304L	316L
SSSC 273.0 B-M10	HL	M10	273.0mm	NB Pipe Size 10"	BB		316L
SSSC 273.0 B-M12	HL	M12	273.0mm	NB Pipe Size 10"	BB	304L	316L
SSSC 304.0 B-M10	HL	M10	304.0mm	EN Pipe Size	BB		316L
SSSC 304.0 B-M12	HL	M12	304.0mm	EN Pipe Size	BB	304L	316L
SSSC 304.8 B-M10	HL	M10	304.8mm	Tube Size 12"	BB		316L
SSSC 304.8 B-M12	HL	M12	304.8mm	Tube Size 12"	BB	304L	316L
SSSC 315.0 B-M10	HL	M10	315.0mm	DWV 300 PVC Pipe Size	P		316L
SSSC 315.0 B-M12	HL	M12	315.0mm	DWV 300 PVC Pipe Size	P	304L	316L
SSSC 315.5 B-M10	HL	M10	315.5mm	UPVC Pipe Size	P		316L
SSSC 315.5 B-M12	HL	M12	315.5mm	UPVC Pipe Size	P	304L	316L
SSSC 316.5 B-M10	HL	M10	316.5mm	PE Pipe Size	P		316L
SSSC 316.5 B-M12	HL	M12	316.5mm	PE Pipe Size	P	304L	316L
SSSC 323.9 B-M10	HL	M10	323.9mm	EN Pipe Size	BB		316L
SSSC 323.9 B-M12	HL	M12	323.9mm	EN Pipe Size	BB	304L	316L
SSSC 324.0 B-M10	HL	M10	324.0mm	NB Pipe Size 12"	BB		316L
SSSC 324.0 B-M12	HL	M12	324.0mm	NB Pipe Size 12"	BB	304L	316L

All high-loading M10 Bossed options on page 4 & 5 use a 316 grade threaded insert




No minimum order quantity required on any product in this catalogue

SECTION 2

JML STANDARD LOADING (SL) BOSSED BRACKET EPDM LINED

Maximum vertical loading = 367 kg

(NB: Maximum Vertical Loading includes a Safety Factor of 4)



JML Resize and adjust our Brackets to take into consideration EPDM lining reducing the Bracket internal diameter. Due to this process as is common in the industry some Brackets will have a gap between the two halves when installed. (Please see above images)

JML HIGH LOADING (HL) BOSSED BRACKET EPDM LINED

Maximum vertical loading 754 = kg

(NB: Maximum Vertical Loading includes a Safety Factor of 4)



JML Resize and adjust our Brackets to take into consideration EPDM lining reducing the Bracket internal diameter. Due to this process as is common in the industry some Brackets will have a gap between the two halves when installed. (Please see above images)

Stainless Steel Accessories

B-M10 = Threaded Boss to fit M10 Threaded Rod SL = Standard Loading
B-M12 = Threaded Boss to Fit M12 Threaded Rod HL = High Loading

O/D = Outside Diameter of chosen pipe or tube **POA** = Price on Asking **WS** = Wholesale

JML Industry Classifications Abbreviations

EN = European Standards (Press-Fit) Pipe Size
DWV = Drain / Waste / Vent PVC Pipe Size
NB = Nominal Bore Pipe Size
PE = Polyethylene Pipe Size
PVC = Polyvinyl Chloride Pipe Sizes
UPVC = Unplasticised Polyvinyl Chloride Pipe Size
EPDM = Ethylene Propylene Diene Monomer
Rubber Lining = Rubber

JML Product Finish

P = Polished Finish

Polishing stainless steel provides the following

- (4) Hygiene solution in the food and beverage industry
- (5) A high architectural level of finish
- (6) Increases corrosion resistance

BB = Bead Blasted Finish

This is a common finish in stainless steel and is supplied in situations where, due to the process of manufacture, a polished finish cannot be achieved

JML Loading Rating

Including Safety Factor = Load Rating includes a safety factor of 4

This Safety factor is calculated for the maximum vertical recommended loading listed in the following pages

JML PRODUCT CODE	LOADING CATEGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 12.7 BRL-M10	SL	M10	12.7mm	Tube Size ½"	P	304L	316L
SSSC 15.0 BRL-M10	SL	M10	15.0mm	EN Pipe Size	P	304L	316L
SSSC 15.88 BRL-M10	SL	M10	15.88mm	Tube / Dairy Tube Size 5/8"	P	304L	316L
SSSC 16.0 BRL-M10	SL	M10	16.0mm	Conduit Size	P	304L	316L
SSSC 17.0 BRL-M10	SL	M10	17.0mm	10 NB Pipe Size 3/8"	P	304L	316L
SSSC 19.5 BRL-M10	SL	M10	19.5mm	Dairy Tube Size / Tube Size ¾"	P	304L	316L
SSSC 20.0 BRL-M10	SL	M10	20.0mm	Conduit Size	P	304L	316L
SSSC 20.2 BRL-M10	SL	M10	20.2mm	PE Pipe Sizes	P	304L	316L
SSSC 21.2 BRL-M10	SL	M10	21.2mm	15 NB Pipe Size ½"	P	304L	316L
SSSC 21.4 BRL-M10	SL	M10	21.4mm	UPVC Pipe Size	P	304L	316L
SSSC 22.0 BRL-M10	SL	M10	22.0mm	EN Pipe Size	P	304L	316L
SSSC 22.2 BRL-M10	SL	M10	22.2mm	Dairy Tube Size	P	304L	316L
SSSC 25.0 BRL-M10	SL	M10	25.0mm	Conduit Size	P	304L	316L
SSSC 25.2 BRL-M10	SL	M10	25.2mm	PE Pipe Size	P	304L	316L
SSSC 25.4 BRL-M10	SL	M10	25.4mm	Tube / Dairy Tube Size 1"	P	304L	316L
SSSC 26.00 BRL-M10	SL	M10	26.00mm	EN Pipe Size	P	304L	316L
SSSC 26.7 BRL-M10	SL	M10	26.7mm	20 NB Pipe Size ¾"	P	304L	316L
SSSC 26.8 BRL-M10	SL	M10	26.8mm	UPVC Pipe Size	P	304L	316L
SSSC 28.0 BRL-M10	SL	M10	28.0mm	EN Pipe Size	P	304L	316L
SSSC 31.8 BRL-M10	SL	M10	31.8mm	Tube / Dairy Tube Size 1 ¼"	P	304L	316L
SSSC 32.0 BRL-M10	SL	M10	32.0mm	Conduit Size	P	304L	316L
SSSC 32.2 BRL-M10	SL	M10	32.2mm	PE Pipe Size	P	304L	316L
SSSC 33.6 BRL-M10	SL	M10	33.6mm	UPVC Pipe Size	P	304L	316L
SSSC 33.7 BRL-M10	SL	M10	33.7mm	25 NB Pipe Size 1"	P	304L	316L
SSSC 35.0 BRL-M10	SL	M10	35.0mm	EN Pipe Size	P	304L	316L
SSSC 36.0 BRL-M10	SL	M10	36.0mm	DWV 32 PVC	P	304L	316L

No minimum order quantity required on any product in this catalogue

Stainless Steel Accessories

JML PRODUCT CODE	LOADING CATERGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 38.1 BRL-M10	SL	M10	38.1mm	Tube / Dairy Tube Size 1 ½"	P	304L	316L
SSSC 40.0 BRL-M10	SL	M10	40.0mm	Conduit Size	P	304L	316L
SSSC 42.0 BRL-M10	SL	M10	42.0mm	EN Pipe Size	P	304L	316L
SSSC 42.2 BRL-M10	SL	M10	42.2mm	PE Pipe Size	P	304L	316L
SSSC 42.3 BRL-M10	SL	M10	42.3mm	UPVC Pipe Size	P	304L	316L
SSSC 42.4 BRL-M10	SL	M10	42.4mm	32 NB Pipe Size 1 ¼"	P	304L	316L
SSSC 43.0 BRL-M10	SL	M10	43.0mm	DWV 40 PVC Pipe Size	P	304L	316L
SSSC 44.45 BRL-M10	SL	M10	44.45mm	Dairy Tube Size	P	304L	316L
SSSC 48.0 BRL-M10	SL	M10	48.00mm	EN Pipe Size	P	304L	316L
SSSC 48.3 BRL-M10	SL	M10	48.3mm	40 NB Pipe Size 1 ½"	P	304L	316L
SSSC 50.0 BRL-M10	SL	M10	50.0mm	Conduit Size	P	304L	316L
SSSC 50.3 BRL-M10	SL	M10	50.3mm	PE Pipe Size	P	304L	316L
SSSC 50.8 BRL-M10	SL	M10	50.8mm	Tube / Dairy Tube Size 2"	P	304L	316L
SSSC 54.0 BRL-M10	SL	M10	54.0mm	EN Pipe Size	P	304L	316L
SSSC 56.0 BRL-M10	SL	M10	56.0mm	DWV 50 PVC Pipe Size	P	304L	316L
SSSC 60.3 BRL-M10	SL	M10	60.3mm	EN Pipe Size	P	304L	316L
SSSC 60.4 BRL-M10	SL	M10	60.4mm	UPVC Pipe Size	P	304L	316L
SSSC 60.5 BRL-M10	SL	M10	60.5mm	50 NB Pipe Size 2"	P	304L	316L
SSSC 63.0 BRL-M10	SL	M10	63.0mm	Conduit Size	P	304L	316L
SSSC 63.3 BRL-M10	SL	M10	63.3mm	PE Pipe Size	P	304L	316L
SSSC 63.5 BRL-M10	SL	M10	63.5mm	Tube / Dairy Tube Size 2 ½"	P	304L	316L
SSSC 69.0 BRL-M10	SL	M10	69.0mm	DWV 65 PVC Pipe Size	P	304L	316L
SSSC 70.0 BRL-M10	SL	M10	70.0mm	EN Pipe Size	P	304L	316L
SSSC 73.3 BRL-M10	SL	M10	73.3mm	65 NB Pipe Size 2 ½"	P	304L	316L
SSSC 75.0 BRL-M10	SL	M10	75.0mm	Pipe Size	P	304L	316L
SSSC 75.4 BRL-M10	SL	M10	75.4mm	PE / UPVC Pipe Size	P	304L	316L
SSSC 76.0 BRL-M10	SL	M10	76.0mm	EN Pipe Size	P	304L	316L
SSSC 76.2 BRL-M10	SL	M10	76.2mm	Tube / Dairy Tube Size 3"	P	304L	316L
SSSC 80.0 BRL-M10	SL	M10	80.0mm	Down Pipe Size	P	304L	316L
SSSC 82.0 BRL-M10	SL	M10	82.0mm	DWV 80 PVC Pipe Size	P	304L	316L
SSSC 84.0 BRL-M10	SL	M10	84.0mm	EN Pipe Size	P	304L	316L
SSSC 88.9 BRL-M10	SL	M10	88.9mm	80 NB Pipe Size / EN Pipe Size	P	304L	316L
SSSC 90.0 BRL-M10	SL	M10	90.0mm	PVC 80 Conduit Pipe Size	P	304L	316L
SSSC 90.5 BRL-M10	SL	M10	90.5mm	PE Pipe Size	P	304L	316L
SSSC 101.6 BRL-M10	SL	M10	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 101.6 BRL-M10	HL	M10	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P		316L
SSSC 101.6 BRL-M12	HL	M12	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 104.0 BRL-M10	SL	M10	104.0mm	EN Pipe Size	P	304L	316L
SSSC 104.0 BRL-M10	HL	M10	104.0mm	EN Pipe Size	P		316L
SSSC 104.0 BRL-M12	HL	M12	104.0mm	EN Pipe Size	P	304L	316L
SSSC 108.0 BRL-M10	SL	M10	108.0mm	EN Pipe Size	P	304L	316L
SSSC 108.0 BRL-M10	HL	M10	108.0mm	EN Pipe Size	P		316L
SSSC 108.0 BRL-M12	HL	M12	108.0mm	EN Pipe Size	P	304L	316L

No minimum order quantity required on any product in this catalogue

JML PRODUCT CODE	LOADING CATERGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 110.0 BRL-M10	SL	M10	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.0 BRL-M10	HL	M10	110.0mm	DWV 100 PVC Pipe Size	P		316L
SSSC 110.0 BRL-M12	HL	M12	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.5 BRL-M10	SL	M10	110.5mm	PE Pipe Size	P	304L	316L
SSSC 110.5 BRL-M10	HL	M10	110.5mm	PE Pipe Size	P		316L
SSSC 110.5 BRL-M12	HL	M12	110.5mm	PE Pipe Size	P	304L	316L
SSSC 114.0 BRL-M10	SL	M10	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC 114.0 BRL-M10	HL	M10	114.0mm	PVC 100 Conduit Pipe Size	P		316L
SSSC 114.0 BRL-M12	HL	M12	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC114.5 BRL-M10	SL	M10	114.3mm	100 NB Pipe Size 4"	P	304L	316L
SSSC114.5 BRL-M10	HL	M10	114.3mm	100 NB Pipe Size 4"	P		316L
SSSC114.5 BRL-M12	HL	M12	114.3mm	100 NB Pipe Size 4"	P	304L	316L
SSSC 152.4 BRL-M10	HL	M10	152.4mm	Tube/dairy Tube Size 6"	P		316L
SSSC 152.4 BRL-M12	HL	M12	152.4mm	Tube/dairy Tube Size 6"	P	304L	316L
SSSC 154.0 BRL-M10	HL	M10	154.0mm	EN Pipe Size	P		316L
SSSC 154.0 BRL-M12	HL	M12	154.0mm	EN Pipe Size	P	304L	316L
SSSC 160.0 BRL-M10	HL	M10	160.0mm	DWV 150 PVC Pipe Size	P		316L
SSSC 160.0 BRL-M12	HL	M12	160.0mm	DWV 150 PVC Pipe Size	P	304L	316L
SSSC 160.3 BRL-M10	HL	M10	160.3mm	UPVC Pipe Size	P		316L
SSSC 160.3 BRL-M12	HL	M12	160.3mm	UPVC Pipe Size	P	304L	316L
SSSC 160.8 BRL-M10	HL	M10	160.8mm	PE Pipe Size	P		316L
SSSC 160.8 BRL-M12	HL	M12	160.8mm	PE Pipe Size	P	304L	316L
SSSC 168.0 BRL-M10	HL	M10	168.0mm	150 NB Pipe Size	P		316L
SSSC 168.0 BRL-M12	HL	M12	168.0mm	150 NB Pipe Size	P	304L	316L
SSSC 168.3 BRL-M10	HL	M10	168.3mm	EN Pipe Size	P		316L
SSSC 168.3 BRL-M12	HL	M12	168.3mm	EN Pipe Size	P	304L	316L



All high-loading M10 Bossed options from 101.6mm use a 316 grade threaded insert

Please contact us for EPDM lining options on larger sizes

No minimum order quantity required on any product in this catalogue

SECTION 3

M10 STANDARD DUTY BRACKET (SD)

A fast and convenient way of hanging a threaded bossed pipe support bracket

Designed to screw into wood using an internal hex drive

Please see the following page for information on how this system works and technical data




304 and 316 Grade
Stainless Screw Fitting

Width 18mm
Thickness 2mm

304 and 316
Fasteners supplied
with every Bracket

Finish—Polished

304 and 316
Stainless Locking
Nut supplied



M12 HIGH DUTY BRACKET (HD)

A fast and convenient way of hanging a threaded bossed pipe support bracket.

Designed to screw into wood using an internal hex drive.

Please see the following page for information on how this system works and technical data




304 and 316 Grade
Stainless Screw Fitting

Width from 25mm to 50mm
Thickness from 3mm to 6mm

304 and 316
Fasteners supplied
with every Bracket
H Bolts M8-M12

Finish—Polished

304 and 316
Stainless Locking
Nut supplied



Please Note: Our Bracket Loading Ratings Are Not Applicable When Used With This Product

HOW TO USE THIS **JML** PIPE SUPPORT PRODUCT

Step 1

Unscrew fitting from attached Pipe or Tube bracket, and remove locking nut supplied.




Step 2

Drive Screw into suitable pilot hole both M10 and M12 threaded options come with internal Hex drive. Then simply reassemble to hang selected Pipe or Tube.




Hex Drive Bit (Sold separately please see accessories/fastener section)

M10 304 and 316 Stainless Steel



M12 304 and 316 Stainless Steel



No minimum order quantity required on any product in this catalogue

Stainless Steel Accessories

JML Product Code Abbreviations

B-M10 = Threaded Boss to fit M10 Threaded Rod
B-M12 = Threaded Boss to Fit M12 Threaded Rod

JML Bracket Category

SD = Standard Duty
HD = High Duty

O/D = Outside Diameter of chosen pipe or tube

POA = Price on Asking

WS = Wholesale

JML Industry Classifications Abbreviations

EN = European Standards (Press-Fit) Pipe Size
DWV = Drain / Waste / Vent PVC Pipe Size
NB = Nominal Bore Pipe Size
PE = Polyethylene Pipe Size
PVC = Polyvinyl Chloride Pipe Sizes
UPVC = Unplasticised Polyvinyl Chloride Pipe Size
EPDM = Ethylene Propylene Diene Monomer
Rubber Lining = Rubber

JML Product Finish

P = Polished Finish

Polishing stainless steel provides the following

- (7) Hygiene solution in the food and beverage industry
- (8) A high architectural level of finish
- (9) Increases corrosion resistance

BB = Bead Blasted Finish

This is a common finish in stainless steel and is supplied in situations where, due to the process of manufacture, a polished finish cannot be achieved

JML PRODUCT CODE	BRACKET CATEGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 12.7 BS-M10	SD	M10	12.7mm	Tube Size ½"	P	304L	316L
SSSC 15.0 BS-M10	SD	M10	15.0mm	EN Pipe Size	P	304L	316L
SSSC 15.88 B-M10	SD	M10	15.88mm	Tube / Dairy Tube Size 5/8"	P	304L	316L
SSSC 16.0 BS-M10	SD	M10	16.0mm	Conduit Size	P	304L	316L
SSSC 17.0 BS-M10	SD	M10	17.0mm	10 NB Pipe Size 3/8"	P	304L	316L
SSSC 19.5 BS-M10	SD	M10	19.5mm	Dairy Tube Size / Tube Size ¾"	P	304L	316L
SSSC 20.0 BS-M10	SD	M10	20.0mm	Conduit Size	P	304L	316L
SSSC 20.2 BS-M10	SD	M10	20.2mm	PE Pipe Sizes	P	304L	316L
SSSC 21.2 BS-M10	SD	M10	21.2mm	15 NB Pipe Size ½"	P	304L	316L
SSSC 21.4 BS-M10	SD	M10	21.4mm	UPVC Pipe Size	P	304L	316L
SSSC 22.0 BS-M10	SD	M10	22.0mm	EN Pipe Size	P	304L	316L
SSSC 22.2 BS-M10	SD	M10	22.2mm	Dairy Tube Size	P	304L	316L
SSSC 25.0 BS-M10	SD	M10	25.0mm	Conduit Size	P	304L	316L
SSSC 25.2 BS-M10	SD	M10	25.2mm	PE Pipe Size	P	304L	316L
SSSC 25.4 BS-M10	SD	M10	25.4mm	Tube / Dairy Tube Size 1"	P	304L	316L
SSSC 26.00 BS-M10	SD	M10	26.00mm	EN Pipe Size	P	304L	316L
SSSC 26.7 BS-M10	SD	M10	26.7mm	20 NB Pipe Size ¾"	P	304L	316L
SSSC 26.8 BS-M10	SD	M10	26.8mm	UPVC Pipe Size	P	304L	316L
SSSC 28.0 BS-M10	SD	M10	28.0mm	EN Pipe Size	P	304L	316L
SSSC 31.8 BS-M10	SD	M10	31.8mm	Tube / Dairy Tube Size 1 ¼"	P	304L	316L
SSSC 32.0 BS-M10	SD	M10	32.0mm	Conduit Size	P	304L	316L
SSSC 32.2 BS-M10	SD	M10	32.2mm	PE Pipe Size	P	304L	316L
SSSC 33.6 BS-M10	SD	M10	33.6mm	UPVC Pipe Size	P	304L	316L
SSSC 33.7 BS-M10	SD	M10	33.7mm	25 NB Pipe Size 1"	P	304L	316L
SSSC 35.0 BS-M10	SD	M10	35.0mm	EN Pipe Size	P	304L	316L
SSSC 36.0 BS-M10	SD	M10	36.0mm	DWV 32 PVC	P	304L	316L

No minimum order quantity required on any product in this catalogue

Stainless Steel Accessories

JML PRODUCT CODE	LOADING CATERGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 38.1 BS-M10	SD	M10	38.1mm	Tube / Dairy Tube Size 1 ½"	P	304L	316L
SSSC 40.0 BS-M10	SD	M10	40.0mm	Conduit Size	P	304L	316L
SSSC 42.0 BS-M10	SD	M10	42.0mm	EN Pipe Size	P	304L	316L
SSSC 42.2 BS-M10	SD	M10	42.2mm	PE Pipe Size	P	304L	316L
SSSC 42.3 BS-M10	SD	M10	42.3mm	UPVC Pipe Size	P	304L	316L
SSSC 42.4 BS-M10	SD	M10	42.4mm	32 NB Pipe Size 1 ¼"	P	304L	316L
SSSC 43.0 BS-M10	SD	M10	43.0mm	DWV 40 PVC Pipe Size	P	304L	316L
SSSC 44.45 BS-M10	SD	M10	44.45mm	Dairy Tube Size	P	304L	316L
SSSC 48.0 BS-M10	SD	M10	48.00mm	EN Pipe Size	P	304L	316L
SSSC 48.3 BS-M10	SD	M10	48.3mm	40 NB Pipe Size 1 ½"	P	304L	316L
SSSC 50.0 BS-M10	SD	M10	50.0mm	Conduit Size	P	304L	316L
SSSC 50.3 BS-M10	SD	M10	50.3mm	PE Pipe Size	P	304L	316L
SSSC 50.8 BS-M10	SD	M10	50.8mm	Tube / Dairy Tube Size 2"	P	304L	316L
SSSC 54.0 BS-M10	SD	M10	54.0mm	EN Pipe Size	P	304L	316L
SSSC 56.0 BS-M10	SD	M10	56.0mm	DWV 50 PVC Pipe Size	P	304L	316L
SSSC 60.3 BS-M10	SD	M10	60.3mm	EN Pipe Size	P	304L	316L
SSSC 60.4 BS-M10	SD	M10	60.4mm	UPVC Pipe Size	P	304L	316L
SSSC 60.5 BS-M10	SD	M10	60.5mm	50 NB Pipe Size 2"	P	304L	316L
SSSC 63.0 BS-M10	SD	M10	63.0mm	Conduit Size	P	304L	316L
SSSC 63.3 BS-M10	SD	M10	63.3mm	PE Pipe Size	P	304L	316L
SSSC 63.5 BS-M10	SD	M10	63.5mm	Tube / Dairy Tube Size 2 ½"	P	304L	316L
SSSC 69.0 BS-M10	SD	M10	69.0mm	DWV 65 PVC Pipe Size	P	304L	316L
SSSC 70.0 BS-M10	SD	M10	70.0mm	EN Pipe Size	P	304L	316L
SSSC 73.3 BS-M10	SD	M10	73.3mm	65 NB Pipe Size 2 ½"	P	304L	316L
SSSC 75.0 BS-M10	SD	M10	75.0mm	Pipe Size	P	304L	316L
SSSC 75.4 BS-M10	SD	M10	75.4mm	PE / UPVC Pipe Size	P	304L	316L
SSSC 76.0 BS-M10	SD	M10	76.0mm	EN Pipe Size	P	304L	316L
SSSC 76.2 BS-M10	SD	M10	76.2mm	Tube / Dairy Tube Size 3"	P	304L	316L
SSSC 80.0 BS-M10	SD	M10	80.0mm	Down Pipe Size	P	304L	316L
SSSC 82.0 BS-M10	SD	M10	82.0mm	DWV 80 PVC Pipe Size	P	304L	316L
SSSC 84.0 BS-M10	SD	M10	84.0mm	EN Pipe Size	P	304L	316L
SSSC 88.9 BS-M10	SD	M10	88.9mm	80 NB Pipe Size / EN Pipe Size	P	304L	316L
SSSC 90.0 BS-M10	SD	M10	90.0mm	PVC 80 Conduit Pipe Size	P	304L	316L
SSSC 90.5 BS-M10	SD	M10	90.5mm	PE Pipe Size	P	304L	316L
SSSC 101.6 BS-M10	SD	M10	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 101.6 BS-M10	HD	M10	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P		316L
SSSC 101.6 BS-M12	HD	M12	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 104.0 BS-M10	SD	M10	104.0mm	EN Pipe Size	P	304L	316L
SSSC 104.0 BS-M10	HD	M10	104.0mm	EN Pipe Size	P		316L
SSSC 104.0 BS-M12	HD	M12	104.0mm	EN Pipe Size	P	304L	316L
SSSC 108.0 BS-M10	SD	M10	108.0mm	EN Pipe Size	P	304L	316L
SSSC 108.0 BS-M10	HD	M10	108.0mm	EN Pipe Size	P		316L

No minimum order quantity required on any product in this catalogue

JML PRODUCT CODE	LOADING CATERGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 108.0 BS-M12	HD	M12	108.0mm	EN Pipe Size	P	304L	316L
SSSC 110.0 BS-M10	SD	M10	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.0 BS-M10	HD	M10	110.0mm	DWV 100 PVC Pipe Size	P		316L
SSSC 110.0 BS-M12	HD	M12	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.5 BS-M10	SD	M10	110.5mm	PE Pipe Size	P	304L	316L
SSSC 110.5 BS-M10	HD	M10	110.5mm	PE Pipe Size	P		316L
SSSC 110.5 BS-M12	HD	M12	110.5mm	PE Pipe Size	P	304L	316L
SSSC 114.0 BS-M10	SD	M10	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC 114.0 BS-M10	HD	M10	114.0mm	PVC 100 Conduit Pipe Size	P		316L
SSSC 114.0 BS-M12	HD	M12	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC 114.5 BS-M10	SD	M10	114.5mm	100 NB Pipe Size 4"	P	304L	316L
SSSC 114.5 BS-M10	HD	M10	114.5mm	100 NB Pipe Size 4"	P		316L
SSSC 114.5 BS-M12	HD	M12	114.5mm	100 NB Pipe Size 4"	P	304L	316L
SSSC 139.7 BS-M10	HD	M10	139.7mm	EN Pipe Size	P		316L
SSSC 139.7 BS-M12	HD	M12	139.7mm	EN Pipe Size	P	304L	316L
SSSC 140.0 BS-M10	HD	M10	140.0mm	PVC 125 Conduit Pipe Size	P		316L
SSSC 140.0 BS-M12	HD	M12	140.0mm	PVC 125 Conduit Pipe Size	P	304L	316L
SSSC 140.2 BS-M10	HD	M10	140.2mm	UPVC Pipe Size	P		316L
SSSC 140.2 BS-M12	HD	M12	140.2mm	UPVC Pipe Size	P	304L	316L
SSSC 140.7 BS-M10	HD	M10	140.7mm	PE Pipe Size	P		316L
SSSC 140.7 BS-M12	HD	M12	140.7mm	PE Pipe Size	P	304L	316L
SSSC 141.3 BS-M10	HD	M10	141.3mm	NB Pipe Size	P		316L
SSSC 141.3 BS-M12	HD	M12	141.3mm	NB Pipe Size	P	304L	316L
SSSC 152.4 BS-M10	HD	M10	152.4mm	Tube/dairy Tube Size 6"	P		316L
SSSC 152.4 BS-M12	HD	M12	152.4mm	Tube/dairy Tube Size 6"	P	304L	316L
SSSC 154.0 BS-M10	HD	M10	154.0mm	EN Pipe Size	P		316L
SSSC 154.0 BS-M12	HD	M12	154.0mm	EN Pipe Size	P	304L	316L
SSSC 160.0 BS-M10	HD	M10	160.0mm	DWV 150 PVC Pipe Size	P		316L
SSSC 160.0 BS-M12	HD	M12	160.0mm	DWV 150 PVC Pipe Size	P	304L	316L
SSSC 160.3 BS-M10	HD	M10	160.3mm	UPVC Pipe Size	P		316L
SSSC 160.3 BS-M12	HD	M12	160.3mm	UPVC Pipe Size	P	304L	316L
SSSC 160.8 BS-M10	HD	M10	160.8mm	PE Pipe Size	P		316L
SSSC 160.8 BS-M12	HD	M12	160.8mm	PE Pipe Size	P	304L	316L
SSSC 168.0 BS-M10	HD	M10	168.0mm	150 NB Pipe Size	P		316L
SSSC 168.0 BS-M12	HD	M12	168.0mm	150 NB Pipe Size	P	304L	316L
SSSC 168.3 BS-M10	HD	M10	168.3mm	EN Pipe Size	P		316L
SSSC 168.3 BS-M12	HD	M12	168.3mm	EN Pipe Size	P	304L	316L

No minimum order quantity required on any product in this catalogue

SECTION 4

M10 STANDARD DUTY BRACKET (SD)

A fast and convenient way of hanging a threaded bossed pipe support bracket

Designed to screw into wood using an internal hex drive

Please see the following page for information on how this system works and technical data



304 and 316
Stainless Screw Fitting

Width 18mm
Thickness 2mm

304 and 316
Fasteners supplied
with every Bracket

Finish—Polished

304 and 316
Stainless Locking
Nut supplied



M12 HIGH GRADE BRACKET (HD)

A fast and convenient way of hanging a threaded bossed pipe support bracket

Designed to screw into wood using an internal hex drive

Please see the following page for information on how this system works and technical data



304 and 316
Stainless Screw Fitting

Width from 25mm to 50mm
Thickness from 3mm to 6mm

304 and 316
Fasteners supplied
with every Bracket
H Bp;ts M8-M12

Finish—Polished

304 and 316
Stainless Locking
Nut supplied



Some Brackets sourced may have a Bead Blasted Finish
Please see the Finish Abbreviations listed in the following pages

Please Note: Our Bracket Loading Ratings Are Not Applicable When Used With This Product

No minimum order quantity required on any product in this catalogue

HOW TO USE THIS **JML** PIPE SUPPORT PRODUCT

Step 1

Unscrew fitting from attached Pipe or Tube bracket, and remove locking nut supplied.




Step 2

Drive Screw into suitable pilot hole both M10 and M12 threaded options come with internal Hex drive
Then simply reassemble to hang selected Pipe or Tube.




Hex Drive Bit (Sold separately please see accessories/fastener section)

M10 304 and **316** Stainless Steel



M12 304 and **316** Stainless Steel



No minimum order quantity required on any product in this catalogue

Stainless Steel Accessories

JML Product Code Abbreviations

B-M10 = Threaded Boss to fit M10 Threaded Rod
B-M12 = Threaded Boss to Fit M12 Threaded Rod

JML Bracket Category

SD = Standard Duty
HD = High Duty

O/D = Outside Diameter of chosen pipe or tube

POA = Price on Asking

WS = Wholesale

JML Industry Classifications Abbreviations

EN = European Standards (Press-Fit) Pipe Size
DWV = Drain / Waste / Vent PVC Pipe Size
NB = Nominal Bore Pipe Size
PE = Polyethylene Pipe Size
PVC = Polyvinyl Chloride Pipe Sizes
UPVC = Unplasticised Polyvinyl Chloride Pipe Size
EPDM = Ethylene Propylene Diene Monomer
Rubber Lining = Rubber

JML Product Finish

P = Polished Finish

Polishing stainless steel provides the following

- (10) Hygiene solution in the food and beverage industry
- (11) A high architectural level of finish
- (12) Increases corrosion resistance

BB = Bead Blasted Finish

This is a common finish in stainless steel and is supplied in situations where, due to the process of manufacture, a polished finish cannot be achieved

JML PRODUCT CODE	BRACKET CATEGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 12.7 BSRL-M10	SD	M10	12.7mm	Tube Size ½"	P	304L	316L
SSSC 15.0 BSRL-M10	SD	M10	15.0mm	EN Pipe Size	P	304L	316L
SSSC 15.88 BSRL-M10	SD	M10	15.88mm	Tube / Dairy Tube Size 5/8"	P	304L	316L
SSSC 16.0 BSRL-M10	SD	M10	16.0mm	Conduit Size	P	304L	316L
SSSC 17.0 BSRL-M10	SD	M10	17.0mm	10 NB Pipe Size 3/8"	P	304L	316L
SSSC 19.5 BSRL-M10	SD	M10	19.5mm	Dairy Tube Size / Tube Size ¾"	P	304L	316L
SSSC 20.0 BSRL-M10	SD	M10	20.0mm	Conduit Size	P	304L	316L
SSSC 20.2 BSRL-M10	SD	M10	20.2mm	PE Pipe Sizes	P	304L	316L
SSSC 21.2 BSRL-M10	SD	M10	21.2mm	15 NB Pipe Size ½"	P	304L	316L
SSSC 21.4 BSRL-M10	SD	M10	21.4mm	UPVC Pipe Size	P	304L	316L
SSSC 22.0 BSRL-M10	SD	M10	22.0mm	EN Pipe Size	P	304L	316L
SSSC 22.2 BSRL-M10	SD	M10	22.2mm	Dairy Tube Size	P	304L	316L
SSSC 25.0 BSRL-M10	SD	M10	25.0mm	Conduit Size	P	304L	316L
SSSC 25.2 BSRL-M10	SD	M10	25.2mm	PE Pipe Size	P	304L	316L
SSSC 25.4 BSRL-M10	SD	M10	25.4mm	Tube / Dairy Tube Size 1"	P	304L	316L
SSSC 26.00 BSRL-M10	SD	M10	26.00mm	EN Pipe Size	P	304L	316L
SSSC 26.7 BSRL-M10	SD	M10	26.7mm	20 NB Pipe Size ¾"	P	304L	316L
SSSC 26.8 BSRL-M10	SD	M10	26.8mm	UPVC Pipe Size	P	304L	316L
SSSC 28.0 BSRL-M10	SD	M10	28.0mm	EN Pipe Size	P	304L	316L
SSSC 31.8 BSRL-M10	SD	M10	31.8mm	Tube / Dairy Tube Size 1 ¼"	P	304L	316L
SSSC 32.0 BSRL-M10	SD	M10	32.0mm	Conduit Size	P	304L	316L
SSSC 32.2 BSRL-M10	SD	M10	32.2mm	PE Pipe Size	P	304L	316L
SSSC 33.6 BSRL-M10	SD	M10	33.6mm	UPVC Pipe Size	P	304L	316L
SSSC 33.7 BSRL-M10	SD	M10	33.7mm	25 NB Pipe Size 1"	P	304L	316L
SSSC 35.0 BSRL-M10	SD	M10	35.0mm	EN Pipe Size	P	304L	316L
SSSC 36.0 BSRL-M10	SD	M10	36.0mm	DWV 32 PVC	P	304L	316L

No minimum order quantity required on any product in this catalogue

JML PRODUCT CODE	BRACKET CATEGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 38.1 BSRL-M10	SD	M10	38.1mm	Tube / Dairy Tube Size 1 ½"	P	304L	316L
SSSC 40.0 BSRL-M10	SD	M10	40.0mm	Conduit Size	P	304L	316L
SSSC 42.0 BSRL-M10	SD	M10	42.0mm	EN Pipe Size	P	304L	316L
SSSC 42.2 BSRL-M10	SD	M10	42.2mm	PE Pipe Size	P	304L	316L
SSSC 42.3 BSRL-M10	SD	M10	42.3mm	UPVC Pipe Size	P	304L	316L
SSSC 42.4 BSRL-M10	SD	M10	42.4mm	32 NB Pipe Size 1 ¼"	P	304L	316L
SSSC 43.0 BSRL-M10	SD	M10	43.0mm	DWV 40 PVC Pipe Size	P	304L	316L
SSSC 44.45 BSRL-M10	SD	M10	44.45mm	Dairy Tube Size	P	304L	316L
SSSC 48.0 BSRL-M10	SD	M10	48.00mm	EN Pipe Size	P	304L	316L
SSSC 48.3 BSRL-M10	SD	M10	48.3mm	40 NB Pipe Size 1 ½"	P	304L	316L
SSSC 50.0 BSRL-M10	SD	M10	50.0mm	Conduit Size	P	304L	316L
SSSC 50.3 BSRL-M10	SD	M10	50.3mm	PE Pipe Size	P	304L	316L
SSSC 50.8 BSRL-M10	SD	M10	50.8mm	Tube / Dairy Tube Size 2"	P	304L	316L
SSSC 54.0 BSRL-M10	SD	M10	54.0mm	EN Pipe Size	P	304L	316L
SSSC 56.0 BSRL-M10	SD	M10	56.0mm	DWV 50 PVC Pipe Size	P	304L	316L
SSSC 60.3 BSRL-M10	SD	M10	60.3mm	EN Pipe Size	P	304L	316L
SSSC 60.4 BSRL-M10	SD	M10	60.4mm	UPVC Pipe Size	P	304L	316L
SSSC 60.5 BSRL-M10	SD	M10	60.5mm	50 NB Pipe Size 2"	P	304L	316L
SSSC 63.0 SRL-M10	SD	M10	63.0mm	Conduit Size	P	304L	316L
SSSC 63.3 BSRL-M10	SD	M10	63.3mm	PE Pipe Size	P	304L	316L
SSSC 63.5 BSRL-M10	SD	M10	63.5mm	Tube / Dairy Tube Size 2 ½"	P	304L	316L
SSSC 69.0 BSRL-M10	SD	M10	69.0mm	DWV 65 PVC Pipe Size	P	304L	316L
SSSC 70.0 BSRL-M10	SD	M10	70.0mm	EN Pipe Size	P	304L	316L
SSSC 73.3 BSRL-M10	SD	M10	73.3mm	65 NB Pipe Size 2 ½"	P	304L	316L
SSSC 75.0 BSRL-M10	SD	M10	75.0mm	Pipe Size	P	304L	316L
SSSC 75.4 BSRL-M10	SD	M10	75.4mm	PE / UPVC Pipe Size	P	304L	316L
SSSC 76.0 BSRL-M10	SD	M10	76.0mm	EN Pipe Size	P	304L	316L
SSSC 76.2 BSRL-M10	SD	M10	76.2mm	Tube / Dairy Tube Size 3"	P	304L	316L
SSSC 80.0 BSRL-M10	SD	M10	80.0mm	Down Pipe Size	P	304L	316L
SSSC 82.0 BSRL-M10	SD	M10	82.0mm	DWV 80 PVC Pipe Size	P	304L	316L
SSSC 84.0 BSRL-M10	SD	M10	84.0mm	EN Pipe Size	P	304L	316L
SSSC 88.9 BSRL-M10	SD	M10	88.9mm	80 NB Pipe Size / EN Pipe Size	P	304L	316L
SSSC 90.0 BSRL-M10	SD	M10	90.0mm	PVC 80 Conduit Pipe Size	P	304L	316L
SSSC 90.5 BSRL-M10	SD	M10	90.5mm	PE Pipe Size	P	304L	316L
SSSC 101.6 BSRL-M10	SD	M10	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 101.6 BSRL-M10	HD	M10	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P		316L
SSSC 101.6 BSRL-M12	HD	M12	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 104.0 BSRL-M10	SD	M10	104.0mm	EN Pipe Size	P	304L	316L
SSSC 104.0 BSRL-M10	HD	M10	104.0mm	EN Pipe Size	P		316L
SSSC 104.0 BSRL-M12	HD	M12	104.0mm	EN Pipe Size	P	304L	316L
SSSC 108.0 BSRL-M10	SD	M10	108.0mm	EN Pipe Size	P	304L	316L

No minimum order quantity required on any product in this catalogue

Stainless Steel Accessories

JML PRODUCT CODE	BRACKET CATERGORY	BOSS SIZE	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 108.0 BSRL-M10	HD	M10	108.0mm	EN Pipe Size	P		316L
SSSC 108.0 BSRL-M12	HD	M12	108.0mm	EN Pipe Size	P	304L	316L
SSSC 110.0 BSRL-M10	SD	M10	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.0 BSRL-M10	HD	M10	110.0mm	DWV 100 PVC Pipe Size	P		316L
SSSC 110.0 BSRL-M12	HD	M12	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.5 BSRL-M10	SD	M10	110.5mm	PE Pipe Size	P	304L	316L
SSSC 110.5 BSRL-M10	HD	M10	110.5mm	PE Pipe Size	P		316L
SSSC 110.5 BSRL-M12	HD	M12	110.5mm	PE Pipe Size	P	304L	316L
SSSC 114.0 BSRL-M10	SD	M10	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC 114.0 BSRL-M10	HD	M10	114.0mm	PVC 100 Conduit Pipe Size	P		316L
SSSC 114.0 BSRL-M12	HD	M12	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC 114.5 BSRL-M10	SD	M10	114.5mm	100 NB Pipe Size 4"	P	304L	316L
SSSC 114.5 BSRL-M10	HD	M10	114.5mm	100 NB Pipe Size 4"	P		316L
SSSC 114.5 BSRL-M12	HD	M12	114.5mm	100 NB Pipe Size 4"	P	304L	316L
SSSC 139.7 BSRL-M10	HD	M10	139.7mm	EN Pipe Size	P		316L
SSSC 139.7 BSRL-M12	HD	M12	139.7mm	EN Pipe Size	P	304L	316L
SSSC 140.0 BSRL-M10	HD	M10	140.0mm	PVC 125 Conduit Pipe Size	P		316L
SSSC 140.0 BSRL-M12	HD	M12	140.0mm	PVC 125 Conduit Pipe Size	P	304L	316L
SSSC 140.2 BSRL-M10	HD	M10	140.2mm	UPVC Pipe Size	P		316L
SSSC 140.2 BSRL-M12	HD	M12	140.2mm	UPVC Pipe Size	P	304L	316L
SSSC 140.7 BSRL-M10	HD	M10	140.7mm	PE Pipe Size	P		316L
SSSC 140.7 BSRL-M12	HD	M12	140.7mm	PE Pipe Size	P	304L	316L
SSSC 141.3 BSRL-M10	HD	M10	141.3mm	NB Pipe Size	P		316L
SSSC 141.3 BSRL-M12	HD	M12	141.3mm	NB Pipe Size	P	304L	316L
SSSC 152.4 BSRL-M10	HD	M10	152.4mm	Tube/dairy Tube Size 6"	P		316L
SSSC 152.4 BSRL-M12	HD	M12	152.4mm	Tube/dairy Tube Size 6"	P	304L	316L
SSSC 154.0 BSRL-M10	HD	M10	154.0mm	EN Pipe Size	P		316L
SSSC 154.0 BSRL-M12	HD	M12	154.0mm	EN Pipe Size	P	304L	316L
SSSC 160.0 BSRL-M10	HD	M10	160.0mm	DWV 150 PVC Pipe Size	P		316L
SSSC 160.0 BSRL-M12	HD	M12	160.0mm	DWV 150 PVC Pipe Size	P	304L	316L
SSSC 160.3 BSRL-M10	HD	M10	160.3mm	UPVC Pipe Size	P		316L
SSSC 160.3 BSRL-M12	HD	M12	160.3mm	UPVC Pipe Size	P	304L	316L
SSSC 160.8 BSRL-M10	HD	M10	160.8mm	PE Pipe Size	P		316L
SSSC 160.8 BSRL-M12	HD	M12	160.8mm	PE Pipe Size	P	304L	316L
SSSC 168.0 BSRL-M10	HD	M10	168.0mm	150 NB Pipe Size	P		316L
SSSC 168.0 BSRL-M12	HD	M12	168.0mm	150 NB Pipe Size	P	304L	316L
SSSC 168.3 BSRL-M10	HD	M10	168.3mm	EN Pipe Size	P		316L
SSSC 168.3 BSRL-M12	HD	M12	168.3mm	EN Pipe Size	P	304L	316L


No minimum order quantity required on any product in this catalogue

SECTION 5


JML STANDARD LOADING (SL) TWO PIECE SADDLE BRACKET

Maximum vertical loading = 367 kg
(NB: Maximum Vertical Loading includes a Safety Factor of 4)

Width 18mm
Thickness 2mm



Stainless Steel 304 and 316 fasteners
Supplied with every Bracket.




The inside diameter of our JML Brackets match the O/D (Outside Diameter) measurement of the Pipe and Tube Sizes to be selected from the following pages.


JML HIGH LOADING (HL) TWO PIECE SADDLE BRACKET

Maximum vertical loading = 754 kg
(NB: Maximum Vertical Loading includes a Safety Factor of 4)

Width from 30mm – 50mm
Thickness from 3mm – 6mm



Stainless Steel 304 and 316 fasteners
Supplied with every Bracket.



The inside diameter of our JML Brackets matches the O/D (Outside Diameter) measurement of the Pipe and Tube sizes to be selected from the following pages.

ABBREVIATION GUIDE

JML Product Code Abbreviations

B-M10 = Threaded Boss to fit M10 Threaded Rod
B-M12 = Threaded Boss to Fit M12 Threaded Rod

O/D = Outside Diameter of chosen pipe or tube

JML Industry Classifications Abbreviations

EN = European Standards (Press-Fit) Pipe Size
DWV = Drain / Waste / Vent PVC Pipe Size
NB = Nominal Bore Pipe Size
PE = Polyethylene Pipe Size
PVC = Polyvinyl Chloride Pipe Sizes
UPVC = Unplasticised Polyvinyl Chloride Pipe Size
EPDM = Ethylene Propylene Diene Monomer Rubber Lining
Rubber

JML Loading Classifications

SL = Standard Loading
HL = High Loading

POA = Price on Asking

WS = Wholesale

JML Product Finish

P = Polished Finish

Polishing stainless steel provides the following

(13) Hygiene solution in the food and beverage industry

(14) A high architectural level of finish

(15) Increases corrosion resistance

BB = Bead Blasted Finish

This is a common finish in stainless steel and is supplied in situations where, due to the process of manufacture, a polished finish cannot be achieved

JML Loading Rating

Including Safety Factor = Load Rating includes a safety factor of 2.5

This Safety factor is calculated for the maximum vertical recommended loading listed in the following pages

ML PRODUCT CODE	LOADING CATERGORY	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 12.7 P	SL	12.7mm	Tube Size ½"	P	304L	316L
SSSC 15.0 P	SL	15.0mm	EN Pipe Size	P	304L	316L
SSSC 15.88 P	SL	15.88mm	Tube / Dairy Tube Size 5/8"	P	304L	316L
SSSC 16.0 P	SL	16.0mm	Conduit Size	P	304L	316L
SSSC 17.0 P	SL	17.0mm	10 NB Pipe Size 3/8"	P	304L	316L
SSSC 19.5 P	SL	19.5mm	Dairy Tube Size / Tube Size ¾"	P	304L	316L
SSSC 20.0 P	SL	20.0mm	Conduit Size	P	304L	316L
SSSC 20.2 P	SL	20.2mm	PE Pipe Sizes	P	304L	316L
SSSC 21.2 P	SL	21.2mm	15 NB Pipe Size ½"	P	304L	316L
SSSC 21.4 P	SL	21.4mm	UPVC Pipe Size	P	304L	316L
SSSC 22.0 P	SL	22.0mm	EN Pipe Size	P	304L	316L
SSSC 22.2 P	SL	22.2mm	Dairy Tube Size	P	304L	316L
SSSC 25.0 P	SL	25.0mm	Conduit Size	P	304L	316L
SSSC 25.2 P	SL	25.2mm	PE Pipe Size	P	304L	316L
SSSC 25.4 P	SL	25.4mm	Tube / Dairy Tube Size 1"	P	304L	316L
SSSC 26.00 P	SL	26.00mm	EN Pipe Size	P	304L	316L
SSSC 26.7 P	SL	26.7mm	20 NB Pipe Size ¾"	P	304L	316L
SSSC 26.8 P	SL	26.8mm	UPVC Pipe Size	P	304L	316L
SSSC 28.0 P	SL	28.0mm	EN Pipe Size	P	304L	316L
SSSC 31.8 P	SL	31.8mm	Tube / Dairy Tube Size 1 ¼"	P	304L	316L
SSSC 32.0 P	SL	32.0mm	Conduit Size	P	304L	316L
SSSC 32.2 P	SL	32.2mm	PE Pipe Size	P	304L	316L
SSSC 33.6 P	SL	33.6mm	UPVC Pipe Size	P	304L	316L

No minimum order quantity required on any product in this catalogue

Stainless Steel Accessories

ML PRODUCT CODE	LOADING CATERGORY	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 33.7 P	SL	33.7mm	25 NB Pipe Size 1"	P	304L	316L
SSSC 35.0 P	SL	35.0mm	EN Pipe Size	P	304L	316L
SSSC 36.0 P	SL	36.0mm	DWV 32 PVC	P	304L	316L
SSSC 38.1 P	SL	38.1mm	Tube / Dairy Tube Size 1 ½"	P	304L	316L
SSSC 40.0 P	SL	40.0mm	Conduit Size	P	304L	316L
SSSC 42.0 P	SL	42.0mm	EN Pipe Size	P	304L	316L
SSSC 42.2 P	SL	42.2mm	PE Pipe Size	P	304L	316L
SSSC 42.3 P	SL	42.3mm	UPVC Pipe Size	P	304L	316L
SSSC 42.4 P	SL	42.4mm	32 NB Pipe Size 1 ¼"	P	304L	316L
SSSC 43.0 P	SL	43.0mm	DWV 40 PVC Pipe Size	P	304L	316L
SSSC 44.45 P	SL	44.45mm	Dairy Tube Size	P	304L	316L
SSSC 48.0 P	SL	48.00mm	EN Pipe Size	P	304L	316L
SSSC 48.3 P	SL	48.3mm	40 NB Pipe Size 1 ½"	P	304L	316L
SSSC 50.0 P	SL	50.0mm	Conduit Size	P	304L	316L
SSSC 50.3 P	SL	50.3mm	PE Pipe Size	P	304L	316L
SSSC 50.8 P	SL	50.8mm	Tube / Dairy Tube Size 2"	P	304L	316L
SSSC 54.0 P	SL	54.0mm	EN Pipe Size	P	304L	316L
SSSC 56.0 P	SL	56.0mm	DWV 50 PVC Pipe Size	P	304L	316L
SSSC 60.3 P	SL	60.3mm	EN Pipe Size	P	304L	316L
SSSC 60.4 P	SL	60.4mm	UPVC Pipe Size	P	304L	316L
SSSC 60.5 P	SL	60.5mm	50 NB Pipe Size 2"	P	304L	316L
SSSC 63.0 P	SL	63.0mm	Conduit Size	P	304L	316L
SSSC 63.3 P	SL	63.3mm	PE Pipe Size	P	304L	316L
SSSC 63.5 P	SL	63.5mm	Tube / Dairy Tube Size 2 ½"	P	304L	316L
SSSC 69.0 P	SL	69.0mm	DWV 65 PVC Pipe Size	P	304L	316L
SSSC 70.0 P	SL	70.0mm	EN Pipe Size	P	304L	316L
SSSC 73.3 P	SL	73.3mm	65 NB Pipe Size 2 ½"	P	304L	316L
SSSC 75.0 P	SL	75.0mm	Pipe Size	P	304L	316L
SSSC 75.4 P	SL	75.4mm	PE / UPVC Pipe Size	P	304L	316L
SSSC 76.0 P	SL	76.0mm	EN Pipe Size	P	304L	316L
SSSC 76.2 P	SL	76.2mm	Tube / Dairy Tube Size 3"	P	304L	316L
SSSC 80.0 P	SL	80.0mm	Down Pipe Size	P	304L	316L
SSSC 82.0 P	SL	82.0mm	DWV 80 PVC Pipe Size	P	304L	316L
SSSC 84.0 P	SL	84.0mm	EN Pipe Size	P	304L	316L
SSSC 88.9 P	SL	88.9mm	80 NB Pipe Size / EN Pipe Size	P	304L	316L
SSSC 90.0 P	SL	90.0mm	PVC 80 Conduit Pipe Size	P	304L	316L
SSSC 90.5 P	SL	90.5mm	PE Pipe Size	P	304L	316L
SSSC 101.6 P	SL	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 101.6 P	HL	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 104.0 P	SL	104.0mm	EN Pipe Size	P	304L	316L
SSSC 104.0 P	HL	104.0mm	EN Pipe Size	P	304L	316L
SSSC 108.0 P	SL	108.0mm	EN Pipe Size	P	304L	316L
SSSC 108.0 P	HL	108.0mm	EN Pipe Size	P	304L	316L

No minimum order quantity required on any product in this catalogue

Stainless Steel Accessories

ML PRODUCT CODE	LOADING CATERGORY	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 110.0 P	SL	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.0 P	HL	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.5 P	SL	110.5mm	PE Pipe Size	P	304L	316L
SSSC 110.5 P	HL	110.5mm	PE Pipe Size	P	304L	316L
SSSC 114.0 P	SL	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC 114.0 P	HL	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC114.5 P	SL	114.3mm	100 NB Pipe Size 4"	P	304L	316L
SSSC114.5 P	HL	114.3mm	100 NB Pipe Size 4"	P	304L	316L
				P		
SSSC 139.7 P	HL	139.7mm	EN Pipe Size	P	304L	316L
SSSC 140.0 P	HL	140.0mm	PVC 125 Conduit Pipe Size	P	304L	316L
SSSC 140.2 P	HL	140.2mm	UPVC Pipe Size	P	304L	316L
				P		
SSSC 140>7	HL	140.7mm	PE Pipe Size			
SSSC 141.3 P	HL	141.3mm	NB Pipe Size	P	304L	316L
SSSC 152.4 P	HL	152.4mm	Tube/dairy Tube Size 6"	P	304L	316L
SSSC 154.0 P	HL	154.0mm	EN Pipe Size	P	304L	316L
SSSC 160.0 P	HL	160.0mm	DWV 150 PVC Pipe Size	P	304L	316L
SSSC 160.3 P	HL	160.3mm	UPVC Pipe Size	P	304L	316L
SSSC 160.8 P	HL	160.8mm	PE Pipe Size	P	304L	316L
SSSC 168.0 P	HL	168.0mm	150 NB Pipe Size	P	304L	316L
SSSC 168.3 P	HL	168.3mm	EN Pipe Size	P	304L	316L

SIZES LISTED BELOW ARE CARRIED AT MINIMUM STOCK LEVELS OR MANUFACTURED TO ORDER

JML PRODUCT CODE	LOADING CATERGORY	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 200.0 P	HL	200.0mm	DWV 175 PVC Pipe Size	P	304L	316L
SSSC 200.0 P	HL	200.0mm	DWV 175 PVC Pipe Size	P	304L	316L
SSSC 200.9 P	HL	200.9mm	PE Pipe Size	P	304L	316L
SSSC 200.9 P	HL	200.9mm	PE Pipe Size	P	304L	316L
SSSC 203.2 P	HL	203.2mm	Tube / Dairy Tube Size 8"	P	304L	316L
SSSC 203.2 P	HL	203.2mm	Tube / Dairy Tube Size 8"	P	304L	316L
SSSC 204.0 P	HL	204.0mm	EN Pipe Size	P	304L	316L
SSSC 204.0 P	HL	204.0mm	EN Pipe Size	P	304L	316L
SSSC 219.0 P	HL	219.0mm	NB Pipe Size 8"	BB	304L	316L
SSSC 219.0 P	HL	219.0mm	NB Pipe Size 8"	BB	304L	316L
SSSC 250.0 P	HL	250.0mm	DWV 225 PVC Pipe Size	P	304L	316L
SSSC 250.0 P	HL	250.0mm	DWV 225 PVC Pipe Size	P	304L	316L
SSSC 250.4 P	HL	250.4mm	UPVC Pipe Size	P	304L	316L
SSSC 250.4 P	HL	250.4mm	UPVC Pipe Size	P	304L	316L

No minimum order quantity required on any product in this catalogue

Stainless Steel Accessories


JML PRODUCT CODE	LOADING CATERGORY	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 254.0 P	HL	254.0mm	Tube Size 10"	BB / P	304L	316L
SSSC 254.0 P	HL	254.0mm	Tube Size 10"	BB / P	304L	316L
SSSC 273.0 P	HL	273.0mm	NB Pipe Size 10"	BB	304L	316L
SSSC 273.0 P	HL	273.0mm	NB Pipe Size 10"	BB	304L	316L
SSSC 304.0 P	HL	304.0mm	EN Pipe Size	BB	304L	316L
SSSC 304.0 P	HL	304.0mm	EN Pipe Size	BB	304L	316L
SSSC 304.8 P	HL	304.8mm	Tube Size 12"	BB	304L	316L
SSSC 304.8 P	HL	304.8mm	Tube Size 12"	BB	304L	316L
SSSC 315.0 P	HL	315.0mm	DWV 300 PVC Pipe Size	P	304L	316L
SSSC 315.0 P	HL	315.0mm	DWV 300 PVC Pipe Size	P	304L	316L
SSSC 315.5 P	HL	315.5mm	UPVC Pipe Size	P	304L	316L
SSSC 315.5 P	HL	315.5mm	UPVC Pipe Size	P	304L	316L
SSSC 316.5 P	HL	316.5mm	PE Pipe Size	P	304L	316L
SSSC 316.5 P	HL	316.5mm	PE Pipe Size	P	304L	316L
SSSC 323.9 P	HL	323.9mm	EN Pipe Size	BB	304L	316L
SSSC 323.9 P	HL	323.9mm	EN Pipe Size	BB	304L	316L
SSSC 324.0 P	HL	324.0mm	NB Pipe Size 12"	BB	304L	316L
SSSC 324.0 P	HL	324.0mm	NB Pipe Size 12"	BB	304L	316L

No minimum order quantity required on any product in this catalogue

SECTION 6

JML STANDARD LOADING (SL) EPDM LINED TWO PIECE SADDLE BRACKET

Maximum vertical loading = 367 kg
(NB: Maximum Vertical Loading includes a Safety Factor of 4)



The inside diameter of our **JML** Brackets matches the O/D (Outside Diameter) measurement of the Pipe and Tube sizes to be selected from the following pages.


Stainless Steel 304 and **316** fasteners
Supplied with every Bracket.



JML Resize and adjust our Brackets to take into consideration EPDM lining reducing the Bracket internal diameter. Due to this process as is common in the industry some Brackets will have a gap between the two halves when installed.

JML HIGH LOADING (HL) EPDM LINED TWO PIECE SADDLE BRACKET

Maximum vertical loading = 754 kg
(NB: Maximum Vertical Loading includes a Safety Factor of 4)



The inside diameter of our **JML** Brackets matches the O/D (Outside Diameter) measurement of the Pipe and Tube Sizes to be selected from the following pages.

Stainless Steel 304 and **316** fasteners
Supplied with every Bracket.



JML Resize and adjust our Brackets to take into consideration EPDM lining reducing the Bracket internal diameter. Due to this process as is common in the industry some Brackets will have a gap between the two halves when installed.

ABBREVIATION GUIDE

JML Product Code Abbreviations

B-M10 = Threaded Boss to fit M10 Threaded Rod
B-M12 = Threaded Boss to Fit M12 Threaded Rod

O/D = Outside Diameter of chosen pipe or tube

JML Industry Classifications Abbreviations

EN = European Standards (Press-Fit) Pipe Size
DWV = Drain / Waste / Vent PVC Pipe Size
NB = Nominal Bore Pipe Size
PE = Polyethylene Pipe Size
PVC = Polyvinyl Chloride Pipe Sizes
UPVC = Unplasticised Polyvinyl Chloride Pipe Size
EPDM = Ethylene Propylene Diene Monomer
Rubber Lining = Rubber

JML Loading Classifications

SL = Standard Loading
HL = High Loading

POA = Price on Asking

WS = Wholesale

JML Product Finish

P = Polished Finish

Polishing stainless steel provides the following

(16) Hygiene solution in the food and beverage industry

(17) A high architectural level of finish

(18) Increases corrosion resistance

BB = Bead Blasted Finish

This is a common finish in stainless steel and is supplied in situations where, due to the process of manufacture, a polished finish cannot be achieved

JML Loading Rating

Including Safety Factor = Load Rating includes a safety factor of 2.5

This Safety factor is calculated for the maximum vertical recommended loading listed in the following pages

JML PRODUCT CODE	LOADING CATEGORY	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 12.7 PRL	SL	12.7mm	Tube Size ½"	P	304L	316L
SSSC 15.0 PRL	SL	15.0mm	EN Pipe Size	P	304L	316L
SSSC 15.88 PRL	SL	15.88mm	Tube / Dairy Tube Size 5/8"	P	304L	316L
SSSC 16.0 PRL	SL	16.0mm	Conduit Size	P	304L	316L
SSSC 17.0 PRL	SL	17.0mm	10 NB Pipe Size 3/8"	P	304L	316L
SSSC 19.5 PRL	SL	19.5mm	Dairy Tube Size / Tube Size ¾"	P	304L	316L
SSSC 20.0 PRL	SL	20.0mm	Conduit Size	P	304L	316L
SSSC 20.2 PRL	SL	20.2mm	PE Pipe Sizes	P	304L	316L
SSSC 21.2 PRL	SL	21.2mm	15 NB Pipe Size ½"	P	304L	316L
SSSC 21.4 PRL	SL	21.4mm	UPVC Pipe Size	P	304L	316L
SSSC 22.0 PRL	SL	22.0mm	EN Pipe Size	P	304L	316L
SSSC 22.2 PRL	SL	22.2mm	Dairy Tube Size	P	304L	316L
SSSC 25.0 PRL	SL	25.0mm	Conduit Size	P	304L	316L
SSSC 25.2 PRL	SL	25.2mm	PE Pipe Size	P	304L	316L
SSSC 25.4 PRL	SL	25.4mm	Tube / Dairy Tube Size 1"	P	304L	316L
SSSC 26.00 PRL	SL	26.00mm	EN Pipe Size	P	304L	316L
SSSC 26.7 PRL	SL	26.7mm	20 NB Pipe Size ¾"	P	304L	316L
SSSC 26.8 PRL	SL	26.8mm	UPVC Pipe Size	P	304L	316L
SSSC 28.0 PRL	SL	28.0mm	EN Pipe Size	P	304L	316L
SSSC 31.8 PRL	SL	31.8mm	Tube / Dairy Tube Size 1 ¼"	P	304L	316L
SSSC 32.0 PRL	SL	32.0mm	Conduit Size	P	304L	316L
SSSC 32.2 PRL	SL	32.2mm	PE Pipe Size	P	304L	316L
SSSC 33.6 PRL	SL	33.6mm	UPVC Pipe Size	P	304L	316L

No minimum order quantity required on any product in this catalogue

Stainless Steel Accessories

JML PRODUCT CODE	LOADING CATEGORY	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 33.7 PRL	SL	33.7mm	25 NB Pipe Size 1"	P	304L	316L
SSSC 35.0 PRL	SL	35.0mm	EN Pipe Size	P	304L	316L
SSSC 36.0 PRL	SL	36.0mm	DWV 32 PVC	P	304L	316L
SSSC 38.1 PRL	SL	38.1mm	Tube / Dairy Tube Size 1 ½"	P	304L	316L
SSSC 40.0 PRL	SL	40.0mm	Conduit Size	P	304L	316L
SSSC 42.0 PRL	SL	42.0mm	EN Pipe Size	P	304L	316L
SSSC 42.2 PRL	SL	42.2mm	PE Pipe Size	P	304L	316L
SSSC 42.3 PRL	SL	42.3mm	UPVC Pipe Size	P	304L	316L
SSSC 42.4 PRL	SL	42.4mm	32 NB Pipe Size 1 ¼"	P	304L	316L
SSSC 43.0 PRL	SL	43.0mm	DWV 40 PVC Pipe Size	P	304L	316L
SSSC 44.45 PRL	SL	44.45mm	Dairy Tube Size	P	304L	316L
SSSC 48.0 PRL	SL	48.00mm	EN Pipe Size	P	304L	316L
SSSC 48.3 PRL	SL	48.3mm	40 NB Pipe Size 1 ½"	P	304L	316L
SSSC 50.0 PRL	SL	50.0mm	Conduit Size	P	304L	316L
SSSC 50.3 PRL	SL	50.3mm	PE Pipe Size	P	304L	316L
SSSC 50.8 PRL	SL	50.8mm	Tube / Dairy Tube Size 2"	P	304L	316L
SSSC 54.0 PRL	SL	54.0mm	EN Pipe Size	P	304L	316L
SSSC 56.0 PRL	SL	56.0mm	DWV 50 PVC Pipe Size	P	304L	316L
SSSC 60.3 PRL	SL	60.3mm	EN Pipe Size	P	304L	316L
SSSC 60.4 PRL	SL	60.4mm	UPVC Pipe Size	P	304L	316L
SSSC 60.5 PRL	SL	60.5mm	50 NB Pipe Size 2"	P	304L	316L
SSSC 63.0 PRL	SL	63.0mm	Conduit Size	P	304L	316L
SSSC 63.3 PRL	SL	63.3mm	PE Pipe Size	P	304L	316L
SSSC 63.5 PRL	SL	63.5mm	Tube / Dairy Tube Size 2 ½"	P	304L	316L
SSSC 69.0 PRL	SL	69.0mm	DWV 65 PVC Pipe Size	P	304L	316L
SSSC 70.0 PRL	SL	70.0mm	EN Pipe Size	P	304L	316L
SSSC 73.3 PRL	SL	73.3mm	65 NB Pipe Size 2 ½"	P	304L	316L
SSSC 75.0 PRL	SL	75.0mm	Pipe Size	P	304L	316L
SSSC 75.4 PRL	SL	75.4mm	PE / UPVC Pipe Size	P	304L	316L
SSSC 76.0 PRL	SL	76.0mm	EN Pipe Size	P	304L	316L
SSSC 76.2 PRL	SL	76.2mm	Tube / Dairy Tube Size 3"	P	304L	316L
SSSC 80.0 PRL	SL	80.0mm	Down Pipe Size	P	304L	316L
SSSC 82.0 PRL	SL	82.0mm	DWV 80 PVC Pipe Size	P	304L	316L
SSSC 84.0 PRL	SL	84.0mm	EN Pipe Size	P	304L	316L
SSSC 88.9 PRL	SL	88.9mm	80 NB Pipe Size / EN Pipe Size	P	304L	316L
SSSC 90.0 PRL	SL	90.0mm	PVC 80 Conduit Pipe Size	P	304L	316L
SSSC 90.5 PRL	SL	90.5mm	PE Pipe Size	P	304L	316L
SSSC 101.6 PRL	SL	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 101.6 PRL	HL	101.6mm	Tube/Dairy Tube/Down Pipe Size 4"	P	304L	316L
SSSC 104.0 PRL	SL	104.0mm	EN Pipe Size	P	304L	316L
SSSC 104.0 PRL	HL	104.0mm	EN Pipe Size	P	304L	316L
SSSC 108.0 PRL	SL	108.0mm	EN Pipe Size	P	304L	316L
SSSC 108.0 PRL	HL	108.0mm	EN Pipe Size	P	304L	316L

No minimum order quantity required on any product in this catalogue

JML PRODUCT CODE	LOADING CATEGORY	PIPE & TUBE OUTSIDE DIAMETRE	INDUSTRY CLASSIFICATION	FINISH	304L	316L
SSSC 110.0 PRL	SL	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.0 PRL	HL	110.0mm	DWV 100 PVC Pipe Size	P	304L	316L
SSSC 110.5 PRL	SL	110.5mm	PE Pipe Size	P	304L	316L
SSSC 110.5 PRL	HL	110.5mm	PE Pipe Size	P	304L	316L
SSSC 114.0 PRL	SL	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC 114.0 PRL	HL	114.0mm	PVC 100 Conduit Pipe Size	P	304L	316L
SSSC114.5 PRL	SL	114.3mm	100 NB Pipe Size 4"	P	304L	316L
SSSC114.5 PRL	HL	114.3mm	100 NB Pipe Size 4"	P	304L	316L
SSSC 152.4 PRL	HL	152.4mm	Tube/dairy Tube Size 6"	P	304L	316L
SSSC 154.0 PRL	HL	154.0mm	EN Pipe Size	P	304L	316L
SSSC 160.0 PRL	HL	160.0mm	DWV 150 PVC Pipe Size	P	304L	316L
SSSC 160.3 PRL	HL	160.3mm	UPVC Pipe Size	P	304L	316L
SSSC 160.8 PRL	HL	160.8mm	PE Pipe Size	P	304L	316L
SSSC 168.0 PRL	HL	168.0mm	150 NB Pipe Size	P	304L	316L
SSSC 168.3 PRL	HL	168.3mm	EN Pipe Size	P	304L	316L

Please contact us for EPDM lining options on larger sizes.

SECTION 7

JML ACCESSORIES



No minimum order quantity required on any product in this catalogue

Stainless Steel Backing Base & Wall Mounting Plates

Stainless Steel

M6-M8 Backing Base Plates



Product Code	Threaded Boss	Stainless Steel Grade	Width/Length Thickness	Mounting Hole Dia
SSBP M6-304L	M6	304L	17 x 60 x 2MM	6.5mm
SSBP M6- 316L	M6	316L	17 x 60 x 2MM	6.5mm
SSBP M8-304L	M8	304L	17 x 59 x 2MM	6.5mm
SSBP M8- 316L	M8	316L	17 x 59 x 2MM	6.5mm

Stainless Steel

M10 Backing Base Plates



Product Code	Threaded Boss	Stainless Steel Grade	Width/Length Thickness	Mounting Hole Dia
SSBP M10-304L	M10	304L	20 x 60 x 2MM	6.5mm
SSBP M10- 316L	M10	316L	20 x 60 x 2MM	6.5mm

Stainless Steel

M10 Heavy Duty Backing Base Plates with M10 Bossed Threaded Insert



Product Code	Threaded Boss	Stainless Steel Grade	Width/Length Thickness	Mounting Hole Dia
SSBP M10- 316L Heavy Duty	M10	316L	30 x 95 x 3mm	8.8mm

Stainless Steel

M12 Heavy Duty Backing Base Plates



Product Code	Threaded Boss	Stainless Steel Grade	Width/Length Thickness	Mounting Hole Dia
SSBP M12-304L Heavy Duty	M12	304L	30 x 95 x 3mm	8.8mm
SSBP M12- 316L Heavy Duty	M12	316L	30 x 95 x 3mm	8.8mm

No minimum order quantity required on any product in this catalogue

Stainless Steel Pipe Support Mounting Base HWF Fastening Anchors

Hex Washer Face Fasteners are designed to fit all **JML** Mounting Bases.

Stainless Steel Wood Fasteners

HEX WASHERS FACE - SELF DRILLERS

Product Code	Size	Length	Stainless Steel Grade
Wood HWF	M6/14G	35mm	316
Wood HWF	M6/14G	50mm	316



Stainless Steel BI-Metal - Metal Fasteners

HEX WASHERS FACE - SELF DRILLERS

Product Code	Size	Length	Stainless Steel Grade
Metal HWF	M6/14G	20mm	BI-Metal 304/Steel
Metal HWF	M6/14G	35mm	BI-Metal 304/Steel



BI-Metal (Commonly Used) Head and Thread of screw is 304ss, Tip is steel.
Whole screw is coated with Ruspert corrosion resistant coating.
Designed with a washer face to fit all of our mounting base options.

Stainless Steel HardTec - Metal Fasteners

HEX WASHERS FACE - SELF DRILLERS

Product Code	Size	Length	Stainless Steel Grade
HARDTEC METAL	M6/14G	20mm	HARDTEC
HARDTEC METAL	M6/14G	35mm	HARDTEC




Hardtec SS has molybdenum added so has corrosion resistance similar to 304ss.
They are hardened by heat treatment (which 304 and 316 cannot be) to enable drilling into metal.
Designed with a washer face to fit all of our mounting base options.

HEX WASHERS FACE NUT SETTER

For Hex Face Washer Screws on this page 3/8th x 65mm setter for HWF Screws (14G HWF).
We recommend this tool is only set aside for stainless steel use to avoid picking up dissimilar metals which will result in tea staining of stainless steel fasteners.



*All products on this page are sourced from a quality overseas manufacturer



No minimum order quantity required on any product in this catalogue

Stainless Steel Pipe Support Mounting Base Masonry Fastening Anchors

Stainless Steel

MUSHROOM HEAD SPIKE

Product Code	Size	Length	Stainless Steel Grade
Masonry Mushroom	M6.5	50mm	316
Masonry Mushroom	M6.5	75mm	316

Fits all **JML** Mounting Bases

Stainless Steel

WEDGE ANCHOR

Product Code	Size	Length	Stainless Steel Grade
Masonry Wedge	M6	55mm	316
Masonry Wedge	M6	Request	316

Ideal for wall mounting of backing base plates.
Fits all **JML** Mounting Bases.


Stainless Steel BI - Masonry Fasteners

HEX WASHERS FACE - MASONRY

Product Code	Size	Length	Stainless Steel Grade
Masonry HWF	M6/14G	45mm	BI-Metal 316/Steel
Masonry HWF	M6/14G	75mm	BI-Metal 316/Steel

BI-Metal (Commonly Used) Head and Thread of screw is **316**, tip is carbon steel.
Whole screw is coated with Ruspert corrosion resistant coating.
Designed with a washer face to fit all of our mounting base options.

*All products on this page are sourced from a quality overseas manufacturer



Stainless Steel Pipe Support Mounting Base

Stainless Steel

PIPE SUPPORT MOUNTING BASE

- Designed to help Absorb Vibration
- High Vertical Loading Weights
- Ideal as a Pipe support base on Waterproof Membrane
- Interconnects with our **JML** Pipe Support Systems and Fasteners



PIPE SUPPORT FREE STANDING FIXED MOUNTING BASE

Free Standing with Anti Slip / Vibration Pad
Nylon 6 Base / 304 Grade stud and nut
Fits **JML** M10 / M12 Bossed clamp range



Product Code	Stud Size	Stud Length	Base Diameter	Safe Loading
M10 Fixed Base	M10	35mm	40mm	400kg
M12 Fixed Base	M12	60mm	60mm	600kg

PIPE SUPPORT ON WATERPROOF MEMBRANE

Product Code	Width	Material
EPDM 50	50mm	EPDM



A growing issue in NZ we have been asked to provide solutions for. We can provide an EPDM base designed to sit under our free standing pipe support mounting base on this page . This system can be used as a solution for protecting the membrane.

* Please Note: Product specification may change

No minimum order quantity required on any product in this catalogue

Stainless Steel Pipe Support Threaded Rod



Stainless Steel

PIPE SUPPORT THREADED ROD

Product Code	Threaded Boss	Stainless Steel Grade	Rod Length
TR61 304	M6	304	1 MTR
TR61 316	M6	316	1 MTR
TR81 304	M8	304	1 MTR
TR81 316	M8	316	1 MTR
TR101 304	M10	304	1 MTR
TR101 316	M10	316	1 MTR
TR121 304	M12	304	1 MTR
TR121 316	M12	316	1 MTR

*Sourced from a quality overseas manufacturer

Stainless Steel

ROD COUPLING



Product Code	Threaded Boss	Stainless Steel Grade
TRC6 316	M6	316L
TRC8 316	M8	316L
TRC10 316	M10	316L
TRC12 316	M12	316L

*Sourced from a quality overseas manufacturer

No minimum order quantity required on any product in this catalogue

Stainless Steel Pipe Support Threaded Stud Threaded Reducer



Stainless Steel

THREADED STUD – METRIC

Product Code	Size	Length	Stainless Steel Grade
TS/M10/50/304	M10	50mm	304
TS/M10/100/304	M10	100mm	304
TS/M10/230/304	M10	230mm	304
TS/M10/300/304	M10	300mm	304
TS/M10 50/ 316	M10	50mm	316
TS/M10/100/ 316	M10	100mm	316
TS/M10/200/ 316	M10	200mm	316
TS/M10/300/ 316	M10	300mm	316
TS/M12/150/304	M12	150mm	304
TS/M12/200/304	M12	200mm	304
TS/M12/250/304	M12	250mm	304
TS/M12/100/ 316	M12	100mm	316
TS/M12/150/ 316	M12	150mm	316
TS/M12/200/ 316	M12	200mm	316
TS/M12/300/ 316	M12	300mm	316

*Sourced from a quality overseas manufacturer

Stainless Steel

THREADED REDUCER

M12 Male to M10 Female

Use on a M12 Bossed Bracket to insert a M10 Threaded Rod



Product Code	Stainless Steel Grade
M10 REDUCER	316

No minimum order quantity required on any product in this catalogue

Stainless Steel Pipe Support Hanger Threaded Wood Screw Pipe Support Hex Nuts & Nyloc Nuts

Stainless Steel

Pipe Support Hanger Threaded Wood Screw – Metric (Threaded Section)





Hex Drive Bit – Hex 5mm x 50mm Long

Hex 6mm x 50mm Long

M10 304 and 316 Stainless Steel

M12 304 and 316 Stainless Steel



Hex 5mm
Internal Drive

M10
Threaded Section

Hex 6mm
Internal Drive

M12
Threaded Section

*Sourced from a quality overseas manufacturer

Stainless Steel

HEX NUTS - METRIC



Product Code	Size	Stainless Steel Grade
HN/M6/304	M6	304
HN/M6/316	M6	316
HN/M8/304	M8	304
HN/M8/316	M8	316
HN/M10/304	M10	304
HN/M10/316	M10	316
HN/M12/304	M12	304
HN/M12/316	M12	316

*Sourced from a quality overseas manufacturer

Stainless Steel

NYLOC NUTS - METRIC



Product Code	Size	Stainless Steel Grade
NNM6/304	M6	304
NNM6/316	M6	316
NNM8/304	M8	304
NNM8/316	M8	316
NNM10/304	M10	304
NNM10/316	M10	316
NNM12/304	M12	304

*Sourced from a quality overseas manufacturer

- Vibration Solution for JML Pipe Support Systems.
- Use with our ProLan Lanolin Lubricants.

* On longer threads Galling can take place on application we recommend the use of Lanolin Anti-Seize, available in this catalogue.

No minimum order quantity required on any product in this catalogue

Stainless Steel Pipe Support Washers



Stainless Steel

SPRING WASHERS – METRIC

Product Code	Size	Stainless Steel Grade	O/D	Thickness
SW/M6/304	M6	304	11.8	1.6
SW/M6/ 316	M6	316	11.8	1.6
SW/M8/304	M8	304	14.8	2.0
SW/M8/ 316	M8	316	14.8	2.0
SW/M10/304	M10	304	18.1	2.2
SW/M10/ 316	M10	316	18.1	2.2
SW/M12/304	M12	304	21.1	2.5
SW/M12/ 316	M12	316	21.1	2.5

*Sourced from a quality overseas manufacturer



Stainless Steel

ROUND FLAT WASHERS - METRIC

Product Code	Size	O/D x Thickness	Stainless Steel Grade
RFW/M6/304	M6	18 X 1.6	304
RFW/M6/304	M6	18 X 1.6	316
RFW/M8/304	M8	24 X 2.0	304
RFW/M8/304	M8	24 X 2.0	316
RFW/M10/ 316	M10	30 X 2.5	304
RFW/M10/ 316	M10	30 X 2.5	316
RFW/M12/ 316	M12	36 X 3.0	304
RFW/M12/ 316	M12	36 X 3.0	316

*Sourced from a quality overseas manufacturer

No minimum order quantity required on any product in this catalogue

Stainless Steel Hex Set Screws and Pan Pozi Machine Screws

Stainless Steel

HEX SET SCREWS - METRIC



Product Code	Size	Length	Stainless Steel Grade
HS M8x20/304	M8	20mm	304
HS M8x30/304	M8	30mm	304
HS M8x35/304	M8	35mm	304
HS M8x40/304	M8	40mm	304
HS M8x20/ 316	M8	20mm	316
HS M8x30/ 316	M8	30mm	316
HS M8x35/ 316	M8	35mm	316
HS M8x40/ 316	M8	40mm	316

*Sourced from a quality overseas manufacturer

Stainless Steel

PAN HEAD POZI - M/SCREW - METRIC



Product Code	Size	Length	Stainless Steel Grade
PH/M6x12/304	M6	12mm	304
PH/M6x16/304	M6	16mm	304
PH/M6x20/304	M6	20mm	304
PH/M6x30/304	M6	30mm	304
PH/M6x12/ 316	M6	12mm	316
PH/M6x16/ 316	M6	16mm	316
PH/M6x20/ 316	M6	20mm	316
PH/M6x30/ 316	M6	30mm	316

*Sourced from a quality overseas manufacturer

No minimum order quantity required on any product in this catalogue

Threaded Bossed Stainless Steel Pipe Support Bracket



THREADED BOSSSED



Stainless Steel

SLEEVE ANCHORS - METRIC

Product Code	Size	Length	Stainless Steel Grade
SA/M6.5	M6.5	40mm	316
SA/M8	M8	40mm	316
SA/M10	M10	40mm	316
SA/M12	M12	60mm	316

*Sourced from a quality overseas manufacturer



Stainless Steel

DROP IN ANCHORS MASONRY

Product Code	Size	Stainless Steel Grade
M10 316 Stainless Steel Drop in Anchor	M10	316
M12 316 Stainless Steel Drop in Anchor	M12	316

*Sourced from a quality overseas manufacturer